

9500006

## THE UNIVERD STAYIES OF ANTERIOA

TO ALL TO WHOM THESE; PRESENTS SHALL COME;

Generorp, Inc.

MICCIAS, THERE HAS BEEN PRESENTED TO THE

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE POSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED E PLANT VARIETY PROTECTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (1) SHALL TY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERAL SPECIFIED BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'HT381 STS'

In Testiment Macres, I have hereunto set my hand and caused the seal of the Mant Unriety Protection Place to be affixed at the City of Washington, D.C. this thirtieth day of June in the year of our Lord one thousand

ine hundred and ningty seven.

Allest:

Marsha A. Stron for Commissioner Plant Vericle Protection Office

Plant Variety Protection Office Agricultural Marketing Service

f Agriculture

Pacific reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-4055), Washington, 20250.

FORM APPROVED: OMB 0581-10055, Expires 1/31/91

or management and bodget, I apel work neduction Project (Olivia #038190)	733), Washington, 20230.	FURM APPROVED:	: OMB 0381-0033, Expires 1/31/91
U.S. DEPARTMENT OF AGRICULTURAL MARKI	ETING SERVICE		Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421).
APPLICATION FOR PLANT VARIET		N CERTIFICATE	Information is held confidential until certificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OR	3. VARIETY NAME
GENECORP, INC.		89Y-149-16	HT381 STS
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		5. PHONE (Include area code)	FOR OFFICIAL USE ONLY
205 N Michigan Oxford, IN 47971		317-385-2201	PVPO NUMBER
	•		9500006
			F Oat 12 1004
6. GENUS AND SPECIES NAME	7. FAMILY NAME (Botal	nical)	Time
Glycine max	Leguminos	ae	N ☐ A.M. ☐ P.M.
8. CROP KIND NAME (Common Name)		DATE OF DETERMINATION	F Filing and Examination Fee:
Soybean		October 1989	E 3,335
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA	ANIZATION (Corporation of		S Date 12 1001
Corporation	AMIZATION (Outpuration, pe	arthership, association, etc.)	E Certificate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	1.2		E S PAO O
California	· · · · · · · · · · · · · · · · · · ·	DATE OF INCORPORATION	V Dale E 11 4 1 2 1000
			5 May 24/997
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO Alan K. Walker Ph: 608-755-		NON AND RECEIVE ALL PAPERS Valarie Oostindi	e
5926 E US HWY 14		205 N Michigan	
Janesville, WI 53546-8655	4	Oxford, IN 479	71
		PHONE (Include area co	de)
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Fo	ollow INSTRUCTIONS on rev		
a. X Exhibit A, Origin and Breeding History of the Variety.			
b. X Exhibit B, Novelty Statement.			
c X Exhibit C, Objective Description of Variety			
d. X Exhibit D, Additional Description of Variety.			
e X Exhibit E, Statement of the Basis of Applicant's Owners			
1. Seed Sample (2,500 viable untreated seeds). Date See g  Filing and Examination Fee (\$2,150) made payable to			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE S		·	See section 83(a) of the Plant Variety
Protection Act.)  X YES (II "YES," answer items 16 and 17 b	· · · · · · · · · · · · · · · · · · ·	"NO," skip to item 18 below)	
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS?	S TO 17. IF "YES"	TO ITEM 16, WHICH CLASSES OF PROD	UCTION BEYOND BREEDER SEED?
YES NO		OUNDATION REGIS	TERED CERTIFIED
18 DID THE ADDITION DOCUMENT OF THE PROTECTION OF THE	1		
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE V	ARIETY IN THE U.S.?		
YES (II "YES," through Plant Variety Protection Act	Patent Act: Give o	date:)	
X NO			
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR	MARKETED IN THE U.S. OF	R OTHER COUNTRIES?	
YES (If "YES," give names of countries and dates)			
X NO			
20 The applicant(s) declare(s) that a viable sample of basic s request in accordance with such regulations as may be app		ill be furnished with the applicat	ion and will be replenished upon
The undersigned applicant(s) is (are) the owner(s) of this		I novel plant variety and helies	ve(s) that the variety is distinct
uniform, and stable as required in section 41, and is entit	ed to protection under	the provisions of section 42 of the	Plant Variety Protection Act.
Applicant(s) is (are) informed that false representation he	rein can jeopardize pr	otection and result in penalties.	
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY O	R TITLE	DATE
	Λ		
van J. Walker	Dues	Tor	7-13-54
SIGNATURE OF APPLICANT (Owner 19)	CAPACITY O	RTITLE	DATE
ralarie A. Oostrudie.	Adm	inistator	7-22-94

FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolete.

GENECORP, INC.
PVP APPLICATION HT381 STS SOYBEAN
JULY 1994

EXHIBIT A
ORIGIN AND BREEDING HISTORY OF HT381 STS

1987	Cross was made in December 1987 in a winter nursery.				
	Parentage: A3322 * (A3205 * W20)  W20 = Mutant of Williams with Alsl gene for tolerance to sulfonylurea herbicides.				
1988-1989	Grew $F_1$ , $F_2$ , and $F_3$ generations in winter nursery. $F_2$ and $F_3$ plants were sprayed with a sulfonylurea herbicide and tolerant plants were advanced via nodified single seed descent. Grew bulk $F_3$ population from which individual plants were harvested and thrashed.				
1989	$F_3$ derived $F_4$ lines were evaluated in progeny rows in the midwest. Line 89Y-149-16 was harvested in bulk and selected for advancement. Seeds were checked for uniform hila color and seed coat luster.				
	89Y-149-16 was determined to be a stable line in October of 1989.				
1990	Yield tested at three locations.				
1991	Yield tested at fifteen locations.				
	Presence of the dominant allele, Alsl, which confers tolerance to sulfonylurea herbicides was confirmed via the "seed soak screen" as outlined by Sebastian, et al. (Crop Science 29:1403-1408.				
1992	Yield tested at fourteen locations.				
· .	Five pounds of seed were rolled for uniform hila type and planted as breeder seed.				
,	Yield tested at twenty-one locations.				
·	Four acres of basic seed was grown in the midwest.				
THE TAXABLE PROPERTY.	89Y149-16 was nominated for release and assigned the designation HT381 STS.				

Yield tested at nine locations.

Commercial seed is being grown for the first time sales.

Yield trials from 1990 to 1993 and seed production in 1992 and 1993 indicates that HT381 STS is uniform and stable. As with other soybean varieties, variants can occur for almost any character during the course of repeated sexual reproduction.

GENECORP, INC. PVP APPLICATION HT381 STS SOYBEAN JULY 1994

## EXHIBIT B NOVELTY STATEMENT CONCERNING HT381 STS

To our knowledge, the soybean variety that most closely resembles  ${\tt HT381~STS}$  is  ${\tt A4045}$ .

		HT381 STS	A4045
1.	Flower Color	Purple	Purple
2.	Pubescence Color	Tawny	Tawny
3.	Pod Wall Color	Brown	Brown
4.	Hilum Color	Black	Black
5.	Peroxidase	High	High
6.	Electrophoretic Band	В	Α
7.	Als1	Present	Present
8.	Phytophthora Gene	rps	rps



4

**EXHIBIT C** (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE **BELTSVILLE, MARYLAND 20705** 

# OBJECTIVE DESCRIPTION OF VARIETY

SOYBE	AN (Glycine max L.)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
GENECORP, INC.	89Y149-16	HT381 STS
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Co.	de)	FOR OFFICIAL USE ONLY
205 N Michigan		PVPO NUMBER
0xford, IN 47971		9500006
Choose the appropriate response which characterizes the ve	riety in the features described	below. When the number of significant digits
in your answer is fewer than the number of boxes provided	, place a zero in the first box	when number is 9 or less (e.g., 0 9).
Starred characters * are considered fundamental to an adec when information is available.	quate soybean variety descript	ion. Other characters should be described
1 SEED SHADE		
	) •	
2   W	Т	and the second of the second o
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	2 = Spherical Flattened	(L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		(L/T ratio > 1.2; T/W > 1.2)
TO CETT COLOR AND		
7 2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
U Sionii	4 Black 3 - Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 1 - Dull ((Correct 70), (Document)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs	oy'; 'Gasoy 17')	and the state of t
4. SEED SIZE: (Mature Seed)		
( 4. SEED SIZE: \imature Seed)		
1 6 Grams per 100 seeds		
<del></del>		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown		
0 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect B	ack 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		Particle of the Grands of the goal of the
1 1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		The second of the second
2 1 = Low 2 = High		
2 1 = Low 2 = High		
O CCED PROTEIN EL FOTRONICO ESTA DANS		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
2 1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )		
	and the second s	
9. HYPOCOTYL COLOR:		
4 1 = Green only ('Evans'; 'Davis') 2 = Green with	h bronze band below cotyledons	('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';		and the second of the second o
The state of the s	OURSE HUMPTON ZOOM /	
10. LEAFLET SHAPE:		
3 1 = 1 appropriate		
1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

g Stang Uk fany glastera							9500	006
11	. LEAF	ET SIZE:						
	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Mediu	m ('Corsoy 79';'	Gasoy 17')			
12	LEAF	COLOR:						
	3	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Mediu	m Green ('Corsoy	/ 79'; 'Braxton'			
13	. FLOW	ER COLOR:						
	Ž	1 = White 2 = Purple	3 = White wit	h purple throat				
14	, POD C	OLOR:						
	2	1 = Tan 2 = Brown	3 = Black					
15	. PLAN	PUBESCENCE COLOR:						
	2	1 = Gray 2 = Brown (Tawn)						
16	. PLAN	TYPES:						
	3	1 = Stender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Interm	ediate ('Amcor';	'Braxton')			
	·							
<b>t</b> 17	. PLANT	HABIT:						
	3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improve		eterminate ('Will	")			
							A Commence	1
18.	. MATU	RITY GROUP:					Page 1	
	0	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 =	,	5 = II 13 = X	6 = III	7 = IV	8 = V	
19.	DIŞEA	SE REACTION: (Enter 0 = Not Tested;	1 = Susceptible; 2 = Re	sistant)				
	BACT	ERIAL DISEASES:						
$\star$	0	Bacterial Pustule (Xanthomonas phased	oli var. sojensis)			en en en en		
*	0	Bacterial Blight (Pseudomonas glycinea	) · ·					
*	0	Wildfire (Pseudomonas tabaci)						
	FUNG	AL DISEASES:	· · ·			The second secon		
<b>*</b>	0	Brown Spot (Septoria glycines)	•					
		Frogeye Leaf Spot (Cercospora sojina)	•					
*	0	Race 1 0 Race 2 0	Race 3 0 F	Race 4	Race 5	Other (Sp	ecify)	
		Target Spot (Corynespora cassiicola)						
		Downy Mildew (Peronospora trifoliorur				er en		
	2	Powdery Mildew (Microsphaera diffusa)	i .	er to the grade				
*	1	Brown Stem Rot (Cephalosporium grega	atum)	•		. * .	10000	
	0	Stem Canker (Diaporthe phaseolorum v	ar. <i>caulivora)</i>					

19. DISEASE REACTION	: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant) (Continued)						
FUNGAL DISEASE	S: (Continued)							
Pod and Stem Blight (Diaporthe phaseolorum var; sojae)								
0 Purple Seed S	Purple Seed Stain (Cercospora kikuchii)							
0 Rhizoctonia I	Root Rot (Rhizoctonia solani)							
Phytophthora	a Rot (Phytophthora megasperma var. sojae)							
★ 1 Race 1	1 Race 2 1 Race 3 1	Race 4 Race 5	0 Race 6 1 Race 7					
Race 8	1 Race 9 Other (Specify)							
VIRAL DISEASES:								
0 Bud Blight (T	obacco Ringspot Virus)							
O Yellow Mosai	c (Bean Yellow Mosaic Virus)							
★ 0 Cowpea Mosa	nic (Cowpea Chlorotic Virus)							
O Pod Mottle (E	Bean Pod Mottle Virus)							
★ 0 Seed Mottle (	Soybean Mosaic Virus)							
NEMATODE DISEA	ASES:							
Soybean Cyst	: Nematode (Heterodera glycines)							
★ 1 Race 1	0 Race 2 1 Race 3 1	Race 4 Other (	Specify)					
0 Lance Nemate	ode (Hoplolaimus Colombus)	<del>"</del>						
★ 0 Southern Roc	ot Knot Nematode (Meloidogyne incognita)							
Northern Roo	ot Knot Nematode (Meloidogyne Hapla)							
O Peanut Root I	Knot Nematode (Meloidogyne arenaria)							
Reniform Ner	natode (Rotylenchulus reniformis)							
0 OTHER DISE	ASE NOT ON FORM (Specify):							
<u> </u>								
20. PHYSIOLOGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Suscept	tible; 2 = Resistant)						
tron Chlorosis	s on Calcareous Soil							
Other (Specify	y)							
21. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	sistant)						
0 Mexican Bean	Beetle (Epilachna varivestis)							
O Potato Leaf Hopper (Empoasca fabae)								
Other (Specify)								
22. INDICATE WHICH VA	RIETY MOST CLOSELY RESEMBLES THA	T SUBMITTED.						
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY					
Plant Shage	A4045	Seed Coat Luster	A4045					
Leaf Shape	A4045	Seed Size	A4045					
Leaf Color	A4045	Seed Shape	A4045					
Leaf Size	A4045	Seedling Pigmentation	A4045					
and the second of the second o	•	- ·	■ 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.					

### 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	DAYS LODGIN	PLANT LODGING	LICICUT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
		SCORE		CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted HT381 STS	142	2.3	98	9	13	40.8	20.0	16	2.6
Name of A 4 Similar Variety	144	2.2	94	9	13	40.1	20.9	16	2.6

### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



GENECORP, INC. PVP APPLICATION HT381 STS SOYBEAN JULY 1994

## EXHIBIT D ADDITIONAL DESCRIPTION OF THE VARIETY

HT381 STS is a late maturity group III variety. It is a STSW variety with the Alsl gene conferring tolerance to sulfonylurea herbicides. HT381 STS is a purple flowered tawny pubescent, black hila variety with brown pod walls, dull seed coat luster, ovate leaf shape, indeterminate plant type, high peroxidase activity, and type B seed protein electrophoretic band.



GENECORP, INC. PVP APPLICATION HT381 STS JULY 1994

# EXHIBIT E STATEMENT OF BASIS OF APPLICANT OWNERSHIP

HT381 STS was originated and developed under the direction of Alan K. Walker. By agreement between Genecorp, Inc., all rights to any invention, discovery or development made by employees are assigned to the company. No rights of such invention, discovery or development are retained by the employee.

